

AMENDED

**APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office MAY 16 1991
 Returned to applicant for correction JUN 14 1991
 Corrected application filed AUG 13 1991
 Map filed AUG 13 1991

The applicant Eco-Vision, Inc.
3445 Skyline Blvd, of Reno,
Street and No. or P.O. Box No. City or Town
Nevada 89509, hereby make S application for permission to appropriate the public
State and Zip Code No.
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
 copartnership or association, give names of members.)

Incorporated in Nevada in 1990

1. The source of the proposed appropriation is Humboldt River at Rye Patch Dam
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is 5000.00 cfs second-feet
One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet 100,000.00 acre-feet
3. The water to be used for Hydro-Electric Power Generation
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated
 - (b) Stockwater, state number and kinds of animals to be watered
 - (c) Other use (describe fully under "No. 12. Remarks")
 - (d) Power:
 - (1) Horsepower developed 5000.00 H.P.
 - (2) Point of return of water to stream NE¼ NE¼ Section 18, T30N, R33E, MDM
5. The water is to be diverted from its source at the following point NE¼ NE¼ Section 18, T.30N., R.33E.,
Describe as being within a 40-acre subdivision of public
MDM, at a point from which the North ¼ Corner of Section 18 T.30N., R.33E., MDM
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
bears N 62° 10' 30" W a distance of 1983.95 feet
6. Place of use NE¼ NE¼ Section 18, T.30N., R.33E., MDM
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
7. Use will begin about January 1 and end about December 31, of each year.
Month and Day Month and Day
8. Description of proposed works: (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) a hydro-electric generating facility
State manner in which water is to be diverted, i.e. diversion structure, ditches and
located at the discharge works below Rye Patch Dam
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works \$1,000,000.00

10. Estimated time required to construct works..... six years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This application is for the non-consumptive use of water from the Humboldt River. Point of return of the water to the river is directly below the proposed power plant

By s/Milton Manoukian
Milton Manoukian
3445 Skyline Blvd
Reno, Nevada 89509
 Compared bc/bc
 Protested See file

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby ~~grant~~ ^{deny} the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed on or before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I R. MICHAEL TURNIPSEED, P.E.

Proof of beneficial use filed..... State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 19th day of June,

Cultural map filed..... A.D. 19 95

Certificate No.....Issued.....
R. Michael Turnipseed
 State Engineer